


Gotland 6F  
4016000  
1/7




01.06.2018

Art. Nr. 4016000


Groundplan - Grundplan - Plan de masse -  
Planimetria - Plattegrond - Põhiplaan





Art. Nr. 4016000  
 Foundation - Fundament - Fondation - Fundamenta -  
 Fundering - Immutatud alusraam





Floor boards - Fussbodenbretter - Plan pose  
 plancher - Pavimento - Vloerhout - Põrandalaudis














































Art. Nr. 4016000









Art. Nr. 4016000














| Pos          | 01.06.2018 Piece list - Stückliste - Liste des pièces - Elementi - Stuklijst - Tükitalabel<br>Art. Nr. 4016000 6/7   | Q      | P<br>(mm) | L<br>(mm) |
|--------------|--|--------|-----------|-----------|
| 001          |   | 1      | 40x57     | 718       |
| 002          |   | 1      | 40x57     | 2734      |
| 003          |   | 25     | 40x114    | 718       |
| 004          |   | 9      | 40x114    | 2734      |
| 005          |   | 8      | 40x114    | 718       |
| 013          |    | 1      | 40x57     | 5050      |
| 014          |    | 17     | 40x114    | 5050      |
| 015          |   | 28     | 40x114    | 4100      |
| 016          |   | 2      | 40x114    | 4300      |
| 017          |    | 2      | 40x114    | 4600      |
| 018          |    | 2      | 40x114    | 4900      |
| 019          |    | 1      | 40x120    | 5300      |
| 020          |    | 1      | 40x120    | 5300      |
| W1-1<br>W2-1 |    | 1<br>1 |           |           |
| IAR2         | Foundation - Fundament - Fondation - Fondamenta - Fundering - Immutatud alusraam<br>   | 9      | 45x70     | 4750      |
| IAR1         | Foundation - Fundament - Fondation - Fondamenta - Fundering - Immutatud alusraam<br>  | 2      | 45x70     | 3890      |
| A-PR1        | Roof beam - Dachbalken - Panne de toit - Perlina del tetto - Gordingen / dakbalk - Pärilin<br>1200 3820 200<br>  | 5      | 44x140    | 5300      |
|              | Floor boards - Fussbodenbretter - Lame de plancher - Pavimento - Vloerhout<br>- Põrandalaud   | 53     | 90x18     | 3816      |
|              | Roof boards - Dachbretter - Voliges - Perlina per tetto - Dakhout -<br>Katuselaud   | 118    | 90x18     | 2800      |
|              | Floor fillet - Fussbodenleiste - Corniere de finition du plancher - Finitura per<br>pavimento (battisco pa) - Vloerafwerklijst - Põrandaliist                             |        | 18x18     | 17.16     |
|              | Roofing felt fillet - Dachpappenleiste - Baguette de fixation du feutre<br>bitumeux - Asse per fissaggio guaina bituminosa - Afdeklijst asfaltpapier -<br>Katussepiliist  | 4      | 18x58     | 2850      |
| TB-1         | Fascia board - Traufbrett - Bandeau de toit - Finitura lati tetto - Gevellijst<br>Räästalaud    | 4      | 18x90     | 2650      |

| Pos   | 01.06.2018 Piece list - Stückliste - Liste des pièces - Elementi - Stuklijst - Tükítabel<br>Art. Nr. 4016000 7/7   | Q   | P<br>(mm) | L<br>(mm) |
|-------|--|-----|-----------|-----------|
| DRV-1 | Roof edge reinforcement - Dachrandverstärkung - Corniere de renfort de bord de toit - Rinforzo x tetto - Dakrand versterking - Räästatugevdus   | 4   | 28x34     | 2650      |
| KFS-1 | Storm protection - Sturmleiste - Latte anti-tempete - Protezione anti vento - Stormverankering / beveliging - Tormikinnitusliist   | 4   | 22x45     | 2050      |
|       | Gable moulding - Giebelleiste - Planche de rive - Finitura per frontale e retro del tetto - Gevellijst - Viilulaud   | 4   | 18x120    | 2850      |
| HS8   | Screw for gable segment - Schrauben für deckblatt - Vis pour fixation losange de finition - Viti x frontali tetto - Schroef voor gevelpunt segment - Kruvi rombile    | 4   | 3.5x35    |           |
| HS9   | Screw for gable moulding - Schrauben für giebelleiste - Vis pour fixation planche de rive - Vite per fissare finiture davanti e dietro del tetto - Schroef voor gevellijst - Kruvi viilulauale                          | 32  | 3.5x50    |           |
| HS12  | Screw for fascia boards - Schrauben für traufbretter - Vis pour fixation bandeau de toit - Viti x striscia del tetto - Schroef voor gevellijst - Kruvi räästalauale   | 24  | 4x40      |           |
| HS12  | Screw for roof edge reinforcement - Schrauben für dachrandverstärkung - Vis pour fixation corniere renfort de bord de toit - Viti x rinforzo bordo tetto - Schroef voor dakrand versterking - Kruvi räästatugevdusele   | 24  | 4x40      |           |
| HS18  | Screw for roof beams - Schrauben für dachbalken - Vis pour fixation pannes de toit - Viti per perline del tetto - Schroef voor gordingen / dakbalken - Kruvi pärlinitele    | 10  | 5x120     |           |
| HS18  | Screw for gable - Schrauben für giebel - Vis pour fixation des pignons - Viti per timpano - Schroef voor gevelpunt - Kruvi viilude kinnitamiseks    | 4   | 5x120     |           |
| HS16  | Screw for 1. wall beam - Schraube für 1. bohlenreihe - Vis de fixations 1ere rangée de madriers avec poutrelles de fondations - Vite fissaggio alle fondamenta - Schroef voor 1 wandbalk - Kruvi poollauale             | 7   | 5x90      |           |
| HS16  | Screw for foundation - Schrauben zur befestigung fundament - Vis de fixations des poutrelles de fondations - Viti x fondamenta - Schroef voor fundering - Kruvi alusraamile   | 18  | 5x90      |           |
| HS16  | Screw for foundation - Schrauben zur befestigung fundament - Vis de fixations des poutrelles de fondations - Viti x fondamenta - Schroef voor fundering - Kruvi alusraamile   | 6   | 5x90      |           |
| NF2   | Zn nail for floor fillet - Zn nägel für fussbodenleiste - Pointe pour corniere de finition du plancher - Chiodi x fissaggio pavimento - Spijker(nagel) voor vloer afdekljst - Nael põrandaliistule                    | 35  | 1.4x40    |           |
| SH40  | Hammer block - Schlagholz - Calle de frappe - Blocco di legno da usare come cuscinetto quando si usa il martello - Slagklos - Löögiklots    | 1   |           |           |
| SFS   | Nut for storm protection - Schraubenmutter für sturmleiste - Ecrou pour latte anti-tempete - Dado x asta protezione vento - Moer voor stormverankering - Mutter tormikinnitusliistule                                 | 8   | D6        |           |
| NF4   | Zn nail for roof - Zn nägel für dachbretter - Pointe pour fixation voliges de toit - Chiodi x perline tetto - Spijker(nagel) voor dakhout - Nael katuselauale   | 492 | 2x50      |           |
| NF4   | Zn nail for floor - Zn nägel für fussbodenbretter - Clous pour plancher - Chiodi x perline pavimento - Spijker(nagel) voor vloer - Nael põrandalauale   | 385 | 2x50      |           |
| NF5   | Zn nail for roofing felt fillet - Zn nägel für dachpappenleiste - Pointe pour baguette de fixation feutre bitumeux - Chiodi x carta bituminosa x tetto - Spijker(nagel) voor asfaltpapier afdekljst - Papiliistunael  | 28  | 2x40      |           |
| BFS   | Bolt for storm protection - Bolzen für sturmleiste - Boulon pour latte anti-tempete - Bullone x asta protezione vento - Bout voor stormankerlat - Puidupolt tormikinnitusliistule                                     | 8   | 6x70      |           |
| GS    | Gable segment - Deckblatt - Losange de finition - Decorazione in legno x frontale tetto - Gevelpunt segment - Romb    | 2   |           |           |
| DFS   | Washer for storm protection - Dichtscheibe für sturmleiste - Rondelle pour latte anti-tempete - Rondella x asta protezione vento - Afdichtring voor storm strip - Seib tormikinnitusliistule                          | 8   | D6        |           |
|       | Window - Fenster - Fenetre - Finestra - Raam - Aken 1290x882 TAK.1.106.TSSV.a SGC  | 1   |           |           |
|       | Door - Tür - Porte - Porte - Deur - Uks 1588x1957 TUK.2.056.TSVV.MM SGC  | 1   |           |           |

| Pos | 23.11.2017 Piece list - Stückliste - Liste des pièces - Elementi - Stuklijst - Tükítabel<br>1290x882 TAK.1.106.TSSV.a SGC  | 1/1   | Q  | P<br>(mm) | L<br>(mm) |
|-----|--|---|----|-----------|-----------|
|     | <p data-bbox="263 152 1284 183">Glass size - Glasgröße - Taille de la vitre - Misura del vetro - Glas afmeting - Klaasi mõõt: 542x738 mm</p>   <p data-bbox="1364 347 1492 376">1190x782 mm</p> |   |    |           |           |
| FS1 | Window handle fittings - Fenstergriff - Poignee de fenetre - Maniglia c/ferramenta - Raamhendel -/grendel -/klink - Aknalink   |  | 1  |           |           |
| FSP | Bolt for window handle fittings - Bolzen für fenstergriff beschlag - Vis pour fixation poignee de fenetre - Bullone x apertura manuale finestra - Schroef voor raamhendel - Akna käepideme polt  |  | 2  |           |           |
| HS1 | Screw for georgian bars - Schraube für sprossen - Vis pour croisillons - Viti per unire la griglia georgiana della finestra - Schroeven voor raamverdeling - Kruvi akna petteliistule  |  | 12 | 2.5x20    |           |
| HS4 | Screw for window fillet - Schraube für glasteile - Vis de filet de fenetre - Vite per assemblaggio finestra - Schroef voor glaslijst - Kruvi akna kokkuvaltšiliistule  |  | 3  | 3x30      |           |



| Pos  | Piece list - Stückliste - Liste des pièces - Elementi - Stuklijst - Tükitalabel<br>24.11.2017 1588x1957 TUK.2.056.TSVV.MM SGC   | 1/1   | Q  | P<br>(mm) | L<br>(mm) |
|------|---|---|----|-----------|-----------|
|      | <p>Glass size - Glasgröße - Taille de la vitre - Misura del vetro - Glas afmeting - Klaasi mõõt: 561x855 mm</p>   <p>1488x1875 mm</p> |   |    |           |           |
| TL4  | Door handle fittings - Türgriff - Poignée de porte - Maniglia - Deurhendel / klink - Ukse käepide VU  |  | 1  |           |           |
| TL5  | Set of door lock covers - Schlossblenden - Set de garnitures de porte - Copertura serrature - Slot sluitplaat set - Ukse lukuplaat  |  | 1  |           |           |
|      | Cylinder lock - Zylinderschloss - Barillet de porte - Serratura - Cylinder slot - Ukse lukusüdamik  |  | 1  | 30x35     |           |
|      | Male bolt hinge for door - Türband - Partie male de paumelle de porte - Cerniera anube x porta - Scharnier bout - Ukse polthing isane   |  | 6  |           |           |
|      | Striker for barrel bolt - Hülse für grendelriegel - Gache au sol du targette - Boccola per fermo della porta - Huls voor vergrendelingsschuif - Vasturaud ukse servariivile   |  | 2  |           |           |
| HS1  | Screw for georgian bars - Schraube für sprossen - Vis pour croisillons - Viti per unire la griglia georgiana della finestra - Schroeven voor raamverdeling - Kruvi ukse petfeliistule   |  | 12 | 2.5x20    |           |
| HS4  | Screw for door fillet - Schraube zur befestigung türleiste - Vis pour fixation baguette d'arret de porte - Viti per massellino della porta - Schroef voor deurlijst - Kruvi ukse kokkuvaltšiliistule  |  | 5  | 3x30      |           |
| HS16 | Screw for door jamb - Schraube für türrahmen - Vis de fixation partie haute avec montants du cadre de porte - Viti x fissaggio montanti porte - Schroef voor deurkozijn - Kruvi ukse lengile  |  | 4  | 5x90      |           |
| HS25 | Screw for doorstep - Schrauben für swelle - Vis pour fixation barre de seuil - Vite per soglia della porta - Schroef voor deurdorpel - Kruvi lävepakule   |  | 3  | 4.5x65    |           |